Names and Roles:

Question 1

For the code snippet shown below (assume that all the calls to fork() succeed), answer the following questions:

- 1. Draw a process hierarchy diagram that results from the execution of the code shown below. Your diagram should be similar to Figure 2 in Section 13.2 of the textbook, where you draw a node for every process and arrows from parent to child processes.
 - Label each node with a letter to indicate the order in which it was spawned. In cases where the order is not determined, choose a possible order.
 - Next to each node, write the output value(s) that the process prints out with printf().
- 2. After this code executes, are there any zombie processes? Explain your answer in a sentence or two.

```
int i;
pid_t pid;
printf("-1 ");
for(i = 0; i < 2; i++){
    pid = fork();
    printf("%d ", i);
}
if(pid != 0){
    wait(NULL);
} else {
    exit(0);
}
```

Question 2

Consider the code snippet shown below (and assume all calls to fork() succeed).

1. Draw the execution timeline corresponding to the code's execution showing a possible ordering of fork() and wait() calls from the processes involved. Use Figure 7 in Section 13.2 of the textbook as an example.

```
pid_t pid1, pid2;
printf("1");
pid1 = fork();
if (pid1 == 0){
  pid2 = fork();
  printf("2 ");
   if (pid2 == 0){
        printf("3 ");
        exit(0);
   } else {
        printf("4 ");
        wait(NULL);
        printf("5 ");
        exit(0);
   }
} else {
  printf("6 ");
   wait(NULL);
   printf("7 ");
}
```

2. Which of the following outputs below are possible from executing the above code? For any that are not, describe in one sentence why not.

(a) 1 2 2 3 4 5 6 7

(b) 1 2 2 4 5 3 6 7

(c) 1 6 2 3 2 4 7 5

(d) 1 6 2 4 2 3 5 7