

CS46 practice problems 5

These practice problems are an opportunity for discussion and trying many different solutions. They are **not counted towards your grade**, and **you do not have to submit your solutions**. The purpose of these problems is to get more comfortable with the pumping lemma for regular languages, as well as using and thinking about context-free grammars.

1. For each of the following languages, is the language regular? Support your claim with a proof.
 - (a) Define $f(w)$ = flip all bs to as and flip all as to bs in w for $f : \{a, b\}^* \rightarrow \{a, b\}^*$. Consider $L_1 = \{f(w) \mid w \in L\}$ where L is some regular language. (This question is the same as asking: are regular languages closed under f ?)
 - (b) $L_2 = \{w\bar{w} \mid \bar{w} \text{ is } w \text{ with all } as \text{ flipped to } bs \text{ and all } bs \text{ flipped to } as\}$ where $\Sigma = \{a, b\}$.
 - (c) $L_3 = \{w \mid w \text{ is unary for } 10^n \text{ for some } n \geq 0\}$ where $\Sigma = \{1\}$. A unary language is a language over a single letter alphabet. To count in unary, you can think of 1 as a tally mark, so 10^n in unary would be 1^{10^n} .
 - (d) $L_4 = \{w \mid w \text{ is decimal for } 10^n \text{ for some } n \geq 0\}$ where $\Sigma = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$.
 - (e) $L_5 = \{a^m b^n \mid m \text{ and } n \text{ are prime factors of some integer } \leq 2026\}$ where $\Sigma = \{a, b\}$.

2. Consider the grammar G with rules:
$$\begin{cases} S \rightarrow aSa \mid bT \\ T \rightarrow aT \mid bT \mid \varepsilon \end{cases}$$

Figure out two strings $w \in L(G)$ and two strings $w \notin L(G)$. Describe the language $L(G)$. You may optionally check your answer on Automata Tutor.

3. Many programming languages use braces $\{ \}$, brackets $[]$, and parentheses $()$ to group functions, blocks, classes, etc. These braces, brackets, and parentheses must be balanced in the sense that you cannot have a closing brace without a previous matching opening brace, all open braces must eventually have a matching closing brace, and you cannot close a brace with an unmatched open brace “inside.”

The following examples are legal: $()()$, $((\{\})[\{\}]\{\{\}\})$, and $\{\}[(\)]$.

The following examples are not legal: $[(\)]$, $(($, and $\{\}$.

Design a context free grammar that generates balanced statements containing braces, brackets, and parentheses. You may optionally check your answer on Automata Tutor.

Outline a formal argument proving that your grammar is correct.

4. Give a context-free grammar over $\Sigma = \{a, b\}$ generating

$$L = \{w \in \Sigma^* \mid w \text{ contains more } as \text{ than } bs\}$$

You may optionally check your answer on Automata Tutor.

5. Give a context-free grammar generating:

$$L = \{wcx \mid w^R \text{ is a substring of } x, \text{ where } w, x \in \{a, b\}^*\} \subseteq \{a, b, c\}^*$$

You may optionally check your answer on Automata Tutor.

6. Let $L_{2ab} = \{w \mid w \text{ contains twice as many a s as b s}\}$ be a language over $\Sigma = \{a, b\}$.
- (a) Prove that L_{2ab} is not regular.
 - (b) Prove that L_{2ab} is context-free. (Construct a grammar generating L_{2ab} and check it on Automata Tutor.
7. If you've finished all the above problems, then consider:
- For each of the languages in problem 1 that you said were *not* regular: is that language context-free? Support your answer with an outline of an argument or construction.
 - Give an informal English description of a PDA for the languages where you built a grammar.